



(43) International Publication Date  
25 April 2019 (25.04.2019)

- (51) International Patent Classification:  
*H04W 8/12* (2009.01)      *H04W 8/18* (2009.01)
- (21) International Application Number:  
PCT/IB2017/056589
- (22) International Filing Date:  
24 October 2017 (24.10.2017)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
15/790,018      22 October 2017 (22.10.2017)      US
- (72) Inventor; and
- (71) Applicant: **JAMOUSSE, Mohamed** [TN/TN]; 3 Koulifa Rachidites, Tunis, 1004 (TN).
- (81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO,

DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

(54) Title: ANNOUNCED ROAMING LOCATION (ARoL) SERVICE





FIG. 5 -

(57) Abstract: Announced Roaming Location (ARoL) Service is a telecom service that permits a better management of received calls when travelling abroad. The ARoL service main idea is to inform a caller – calling an ARoL subscriber – where he is roaming and the local time there. This service is proposed with two levels: # Basic ARoL Level – where the caller is simply informed about the country where the called ARoL subscriber is roaming and the local time there. # Advanced ARoL Level – where the caller is further offered the option of assuming roaming charges. By offering this service, a Mobile Operator aims further enhancements of its customers' retention and loyalty, and creation of a new revenue stream.



WO 2019/077396 A1

**Declarations under Rule 4.17:**

- *as to the identity of the inventor (Rule 4.17(i))*
- *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*
- *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))*

**Published:**

- *with international search report (Art. 21(3))*

# 1 DEFINITIONS & ACRONYMS

1. **ARoL service** – Announced Roaming Location service
2. **ARoL subscriber** – A customer subscribed to the ARoL service. Of course, as an ARoL subscriber, he/she is assumed to have the IMR service with his/her Telco Operator (See Definition 12 for IMR service).
3. **BSC** – Base Station Controller, which controls a given number of BTSs (towers) (See Definition 4 for BTS).
4. **BTS** – Base Transceiver Station, which is the tower radiating the signal to the mobile.
5. **Callee** – The person being called (or intended to be called).
6. **Caller** – The person who is calling (or attempting to call). In this document, he can be:
  - a. calling locally (On-Net or Off-Net) or internationally, using a mobile network or a landline network.
  - b. a customer of the same operator as the callee, or not.
  - c. an ARoL subscriber, or not.
7. **GMSC** – Gateway MSC (See Definition 14 for MSC).
8. **GMSC<sub>HMNO</sub>** – GMSC of the HMNO (See Definition 9 for HMNO)
9. **HMNO** – Home Mobile Network Operator, hosting the ARoL subscriber.
10. **HLR** – Home Location Register, storing the details of the all the subscribers permanently.
11. **HLR<sub>HMNO</sub>** – HLR of the HMNO
12. **IMR service** – International Mobile Roaming service, granting a subscriber an automatic access to the visited operator (in in the visited country) when arriving; and, then, seamlessly using his mobile phone/device (voice calls, text messages, Internet ...).
13. **IMSI** – International Mobile Subscriber Identity (identity of the SIM card). It identifies the mobile station, its home wireless network, and its home country.
14. **MSC** – Mobile Switching Center, controlling a given number of BSCs and responsible for switching calls to called subscribers.

15. **MSISDN** – Mobile Station International Subscriber Directory Number. It is the number used for routing the call to the subscriber (dialed number to connect to a mobile phone).
16. **MSISDN<sub>ARoL</sub>** – MSISDN of the ARoL subscriber
17. **MSRN** – Mobile Station Roaming Number. It is allocated by the VLR (from a list of numbers it holds) in order to route the call from the mobile phone to the MSC (via the BTS/BSC) (See Definition 21 for VLR).
18. **NITZ** – Network Identity and time Zone.
19. **SIM** – Subscriber Identity Module.
20. **Telco Operator** – It can be a Mobile Operator, a Landline Operator, or both.
21. **VLR** – Visitor Location Register, storing the details of the all the visiting subscribers temporarily, as long as they are “active” in the particular area it covers.
22. **VLR<sub>HMNO</sub>** – VLR of the HMNO

## 2 ARoL SERVICE DESCRIPTION

ARoL service is a telecom mobile service. Its main objective is to permit to its subscriber a better management of his received calls when travelling abroad. The ARoL service main idea is to inform a caller – calling an ARoL subscriber – that the called number is roaming abroad, the country (NOT THE CITY) where he is roaming and the local time there, in order to decide either to continue with the call or to call at a more convenient time. Of course, if more than one time zone apply to that country, the local time announced is of the city where the ARoL subscriber is when receiving the call.

The ARoL service has two levels:

- **Basic ARoL (Level 1)** – addressed to a caller – calling an ARoL subscriber – **who is NOT a customer of the HMNO**. The caller is a customer of another Telco Operator – either within the same country or in another country.
- **Advanced ARoL (Level 2)** – addressed to a caller – calling an ARoL subscriber – **who is a customer of the HMNO**. In other words, the caller and the ARoL subscriber (the callee) are customers of the same Mobile Operator.

For the determination of the location and the local time, the NITZ feature can be used and the information forwarded to the mobile phone can be shared between the VLR to which the ARoL subscriber is attached (in the visited country where roaming) and the HLR of the HMNO.

It is important to note that the ARoL service is NOT an IMR service, requiring international agreements between operators. It is a local service that an operator is offering to its customers. Also, it is important to note that this service is **OPTIONAL** in roaming situations. As a matter of fact, while one of the main features of mobile communication is to hide the location of the called number from the calling number, through the MSRN concept, the location release of the called person remains the choice of this latter – as an ARoL subscriber.

## 2.1 BASIC ARoL (LEVEL 1)

With this service level (Level 1), when calling an ARoL subscriber, travelling and roaming in another country, the caller is informed via a recorded voice message:

- In which country the “callee” is; and the local time there.
- Then, if the caller would like to continue with this initiated call or to hung up.

This recorded voice message is expected to be in two languages: English and the country official language. Of course, if the callee is switched off or out of coverage (not connected to any network), the caller will listen to the common and familiar recorded voice message, stating that the dialed number is currently unreachable. Of course, it is assumed that a roaming agreement is established between the HMNO and the network the ARoL subscriber is connected to (in the visited country). The following examples (Examples 1, 2 & 3) sketch how Basic ARoL works.

### **Example 1:**

An ARoL subscriber, with a mobile line from STC (a Telco Operator in Saudi Arabia) is in a business trip in Chicago (USA) in February. He is being called from Riyadh (Saudi Arabia) at 1:25pm Saudi time (UTC + 03:00) by a caller with a mobile line from Mobily (a second Telco Operator in Saudi Arabia). When dialing the number, and after the setup of the related call signaling, the caller (in Riyadh) will listen to the following recorded voice message in both languages: English and Arabic.



**The number you are dialing is roaming in The United States  
where the local time there is 04:25 am  
To continue with this call, press (1). If not, just hung up**

الولايات المتحدة الأمريكية

الرقم الذي طلبته في حالة تجوال بـ

04:25 صباحا

أين التوقيت المحلي هناك هو

لموصلة هذه المكالمة، اضغط (1). أو أقفل الخط

Then, it is up to the caller to decide about the importance of the call, by either:

- Pressing (1) to continue, and the callee will hear his mobile phone ringing,
- Or, just hanging up and calling another time.

**Notes:**

- If the callee is busy with another call (and call waiting is not being used), the Visited MSC routes the call to a pre-determined Call Forward Busy (CFB) number. It may be set by default to the callee voice mail.
- If the callee does not answer, the Visited MSC routes the call to a pre-determined Call Forward No Reply (CFNRy) number. It may be set by default to the callee voice mail.
- If the caller does nothing or presses another digit, the call will be rejected (ended).
- When hanging up, or the call rejected, an SMS is forwarded to the called ARoL subscriber (the callee), informing him about an attempted call from “the caller number” at “the caller local time”.

**Example 2:**

An ARoL subscriber, with a mobile line from Saudi Telecom (STC), is in a business trip in Washington DC (USA) in February. He is receiving a landline/mobile call from London (UK) at 10:25am GMT (corresponding to 1:35pm Saudi Time). When dialing the number, and after the setup of the related call signaling, the caller (in London) will listen to the following recorded voice message in both languages: English and Arabic.



**The number you are dialing is roaming in The United States  
where the local time there is 05:25 am  
To continue with this call, press (1). If not, just hung up**

الولايات المتحدة الأمريكية

05:25 صباحا

الرقم الذي طلبته في حالة تجوال بـ

أين التوقيت المحلي هناك هو

لموصلة هذه المكالمة، اضغط (1). أو أقلل الخط

Then, it is up to the caller to decide about the importance of the call, by either:

- Pressing (1) to continue, and the callee will hear his mobile phone ringing,
- Or, just hanging up and calling another time.

**Notes:**

[Same notes as for Example 1]

**Example 3:**

An ARoL subscriber, with a mobile line from Saudi Telecom (STC), is in a business trip in Washington DC (USA). His mobile phone is switched off when receiving a landline/mobile call from London at 10:25am GMT (corresponding to 1:35pm Saudi Time). When dialing the number, and after the setup of the related call signaling, the caller (in London) will listen to the following recorded voice message in both languages, English and Arabic:



**The number you are calling is off; please call again later.**

إنَّ الرقم المطلوب مغلق، الرجاء الاتصال في وقت لاحق

Then, an SMS is forwarded to the called ARoL subscriber (the callee) informing him about an attempted call from “the caller number” at “the caller local time” once his mobile is switched on and attached to a visited mobile network.

**Note:**

- If the ARoL subscriber is either out of coverage, or his battery has gone flat/removed, the caller will listen to the above recorded voice message, in both languages: English and Arabic; and an SMS is forwarded to the called ARoL subscriber (the callee), informing him about an attempted call from “the caller number” at “the caller local time”.



## 2.2 ADVANCED AROl (LEVEL 2)

With this service level (Level 2), when the caller is calling an ARoL subscriber, travelling and roaming in another country, the caller is informed in which country the “callee” is and the local time there. Then, the caller has the following choices:

- To continue with this initiated call normally.
- Or, to continue with this initiated call and assuming roaming charges.
- Or, to hung up.

The caller will be informed through a recorded voice message, which is expected to be in two languages: English and the country official language. The following example (Example 4) sketches how Advanced ARoL works.

### **Example 4:**

An ARoL subscriber, with a mobile line from Saudi Telecom (STC), is in a business trip in Washington DC (USA) in February. He is receiving a landline/mobile call from another Saudi Telecom (STC) customer at 1:35 pm Saudi Time. When dialing the number, and after the setup of the related call signaling, the caller will listen to the following recorded voice message in both languages, English and Arabic:



**The number you are dialing is roaming in The United States  
where the local time there is 05:25 am**

- **To continue with this call normally, press (1)**
- **To continue with this call and assume roaming charges, press (2)**
- **Or, just hung up**

الولايات المتحدة الأمريكية

05:25 صباحا

الرقم الذي طلبته في حالة تجوال بـ

أين التوقيت المحلي هناك هو

- لموصلة هذه المكالمة عاديا، اضغط (1)
- لموصلة هذه المكالمة مع تحمّل تكاليف التجوال، اضغط (2)
- أو أقلل الخط

Then, it is up to the caller to decide about the importance of the call, by:

- Pressing (1) to continue, and the callee will hear his mobile phone ringing,
- Or, pressing (2) to continue and assuming roaming charges, and the called ARoL subscriber will hear his mobile phone ringing, **but he is advised that he is receiving a free call (Section 4)**.
- Or, just hanging up and calling another time.

**Notes:**

[Same notes as for Example 1]

### 3 ARoL SERVICE SUBSCRIPTIONS

The Telco Operator – providing the ARoL service – may offer two types of subscription to its customers willing to subscribe to this service:

- **Basic ARoL Subscription** – Where there is NO distinction between callers – **either customers of the HMNO or NOT**. In other words, the option of assuming roaming charges is NOT offered to the caller. He is only informed about the roaming location of the callee and the local time of the city where he is; and accordingly, he makes the choice to keep with his call or to call another time (as sketched in Examples 1 & 2).
  
- **Advanced ARoL Subscription** – Where there is distinction between callers – **if they are customers of the HMNO or NOT**. In other words:
  - If the caller is a customer of the HMNO, after being informed about the roaming location of the callee and the local time of the city where he is; the caller will be offered the option of assuming roaming charges (as sketched in Example 4).
  - If the caller is NOT a customer of the HMNO, he is only informed about the roaming location of the callee and the local time of the city where he is; and accordingly, the caller makes the choice to keep with his call or to call another time.

## 4 ARoL SUBSCRIBER CONTACTS UPDATE

Based on the type of subscription, a new **Advanced ARoL** subscriber is expected to duplicate and update his contacts (who are, basically, customers of the HMNO) in order to detect free roaming-charges calls, when traveling abroad.

The expected type of update is based on the “2-digit” extension that the Telco Operator will attach the caller MSISDN, and which will be forward it to the callee mobile phone. Note that this “2-digit” extension is communicated by the HMNO to its new Advanced ARoL Subscriber. The following example (Example 5) sketches how a new Advanced ARoL subscriber will duplicate and update one of his existing contacts, based on the “2-digit” extension provided by his HMNO.

### **Example 5:**

An ARoL subscriber, with a mobile line from line from Saudi Telecom (STC) wants to duplicate the contact of “**Mohamed Jamoussi**” stored on his mobile phone, based on the “2-digit” extension provided to him by Saudi Telecom and which is “99” (as an example). This contact will be duplicated and updated as shown on “FIG. 1”.

When roaming abroad and receiving a call from “**Mohamed Jamoussi**” who has chosen to make a normal call by pressing (1), the mobile phone of the callee will display what is shown on “FIG. 2”; and the callee will assumed the roaming charges of this accepted call.

Now, if the caller “**Mohamed Jamoussi**” has chosen to assume the roaming charges for this call by pressing (2), the mobile phone of the callee will display what is shown on “FIG. 3”, and the callee is advised that the caller will assume the roaming charges of this accepted call.

## **5 ARoL SERVER**

Though details may differ from one mobile network to another, but the overall architecture and key components are almost the same. For this ARoL service, an ARoL server connected to the HLR of the HMNO (or embedded) will be deployed for the voice messages related to different mobile networks that an ARoL subscriber could roam in across the world and which have roaming agreements with the HMNO (see "FIG. 4").

## 6 ARO L SERVICE PROCESS

When an ARoL subscriber is roaming internationally and is receiving a call, the ARoL service process is almost similar to the known roaming process. It basically involves:

- The GMSC & HLR of the HMNO, and
- The MSC & VLR of the visited network in the visited country.

### 6.1 ARO L SUBSCRIBER LOCATION IDENTIFICATION

The first step of the ARoL service process is typically the identification mechanism of any roaming process. This step determines the location of a mobile phone connected to a visited Mobile Network and at an idle state (no active traffic).

When an ARoL subscriber, travelling abroad, switches “ON” his mobile phone (*or transferred via a handover, which is the process in which a call/data session is transferred from one BTS to another without disconnection*), the Visited Mobile Network – detecting this new device – will notice that it is not registered with its own system, and will identify its HMNO. Then, both networks (Visited and Home) will exchange roaming information about this mobile phone using the IMSI number and the IMSI attached procedure is executed. Of course, it is assumed that there is a roaming agreement between the two networks. If not, the mobile phone will be denied by the Visited Mobile Network.

If the Visited Mobile Network finds out that this mobile phone is allowed to roam, then it begins to maintain a temporary subscriber record for this device. The mobile phone is said to be attached. The HLR of the HMNO passes the information to the VLR in the Visited Network and updates its location information for this ARoL subscriber, so that any information sent to that device can be correctly routed. The HLR<sub>HMNO</sub> instructs the old VLR to delete the information it has on this ARoL subscriber.

## 6.2 ARO L SERVICE KEY STEPS

When a caller dials the mobile phone number of an ARO L subscriber roaming abroad, the ARO L service key steps are the following:

1. The caller dials the ARO L subscriber mobile phone number ( $MSISDN_{ARO L}$ )
2. The  $MSISDN_{ARO L}$  is forwarded to the  $HLR_{HMNO}$  via the  $GMSC_{HMNO}$  (see “FIG. 5”). And because of previous updates, the  $HLR_{HMNO}$  already knows which VLR – in the world – is serving the called ARO L subscriber.
3. The  $HLR_{HMNO}$  will:
  - a. identify if the caller is a subscriber of the HMNO (as the callee). If so, it could be either serviced by a  $VLR_{HMNO}$  or an external VLR to the HMNO (i.e. the caller is also roaming domestically or internationally)
  - b. identify which ARO L level, the callee is subscribed to (*Basic* or *Advanced*).
  - c. instruct the ARO L server to deliver the corresponding message to the caller via the  $GMSC_{HMNO}$ , based on the information collected in steps/sub-steps (2), (3.a) and (3.b).
4. The ARO L server will deliver the appropriate message to the caller via the  $GMSC_{HMNO}$ .
5. The caller will make his choice, based on the options announced in the voice message.
6. **If the caller just hangs up, or press an unexpected digit, or does nothing**, the call is ended and an SMS is forwarded to the called ARO L subscriber (the callee), informing him about an attempted call from “the caller number” at “the caller local time”.
7. **If the caller presses (1) – as an offered option**, regardless of the information collected in sub-steps (3.a) and (3.b), the standard roaming process will take place to carry on with this initiated call. The VLR servicing the called ARO L subscriber will assign an MSRN (a temporary number).

This MSRN number will be sent back to the HLR<sub>HMNO</sub>, so that the GMSC<sub>HMNO</sub> knows how to route the call to reach the ARoL subscriber. Note that, broadly speaking, the GMSC<sub>HMNO</sub> will attach the MSISDN of the caller to the provided MSRN, so that the ARoL subscriber identifies who is calling.

From a billing standpoint, termination billing procedure and rate are applied, as per the agreement between the HMNO and the caller Telco Operator.

**Notes:**

- For the called ARoL subscriber:
  - If he is a **postpaid** subscriber, once the call is ended, the billing is made.
  - If he is a **prepaid** subscriber, a check is made to see if he has enough credit to receive this call. If so, the call is continually monitored and the appropriate amount is decremented from his account. When the credit reaches zero, the call is cut off.
- For the caller (either a subscriber of the HMNO or NOT):
  - If he is a **postpaid** subscriber, once the call is ended, the billing is made.
  - If he is a **prepaid** subscriber, a check is made to see if he has enough credit to receive this call. If so, the call is continually monitored and the appropriate amount is decremented from his account. When the credit reaches zero, the call is cut off.

8. **If the caller presses (2) – as an offered option**, and based on the information collected in steps/sub-steps (2), (3.a) and (3.b), the standard roaming process will take place to carry on with this initiated call. The VLR servicing the called ARoL subscriber will assign an MSRN (a temporary number). This MSRN number will be sent back to the HLR<sub>HMNO</sub>, so that the GMSC<sub>HMNO</sub> knows how to route the call to reach the ARoL subscriber.

At this stage, the GMSC<sub>HMNO</sub> will NOT attach the original MSISDN of the caller to the provided MSRN. Instead, the GMSC<sub>HMNO</sub> will attach the extended MSISDN of the caller, which is a combination of the original MSISDN and a “2-digit” extension (as explained in Section 4). Therefore, as per Example 5 and updated contacts, the called ARoL subscriber will



identify that he is receiving a free of charge call (as displayed on his mobile phone screen).

**Notes:**

- For the called ARoL subscriber, he is receiving the call for free – as if he is receiving it in his home country.
- For the caller (who is a subscriber of the HMNO), he will assume the charges of both:
  - The call made to the ARoL subscriber, as if he is in his home country.
  - The call received by the ARoL subscriber in the country where he is.

On another hand, depending on the caller type of subscription:

- If he is a **postpaid** subscriber, once the call is ended, the billing is made.
- If he is a **prepaid** subscriber, a check is made to see if he has enough credit to receive this call. If so, the call is continually monitored and the appropriate amount is decremented from his account. When the credit reaches zero, the call is cut off.

### 6.3 ARO L SUBSCRIBER OFF

When the ARoL subscriber mobile phone is powered off, it sends an IMSI detach message to the network. The VLR marks that mobile phone as detached and informs the HLR<sub>HMNO</sub> (via the GMSC<sub>HMNO</sub>) that it is about to remove this subscriber record from its register (VLR register). The HLR<sub>HMNO</sub> then treats this ARoL subscriber as unreachable. Therefore, any caller dialing this ARoL subscriber number will be treated as sketched in Example 3.

Also, if the mobile phone is out of the area of coverage, it will miss sending a registration message to the network at the predefined intervals. Accordingly, the network will mark it as detached; and any caller dialing this mobile number will be treated as sketched in Example 3.

## 7 ARO L SERVICE BUSINESS ASPECTS

### 7.1 DRIVERS & TARGETED SEGMENTS

The ARoL service can be offered to all business and residential, postpaid and prepaid customers. By offering this service, a Mobile Operator will aim to:

- Offer a service that attracts frequent travelers, interested by substantially reducing their international communications spending, and limiting inconvenient incoming calls.
- Offer a service that conveys a message on behalf of the “callee” when feeling embarrassed to do it himself (e.g. advising the caller that he is internationally roaming in order to make this call as short as possible, or the time is inconvenient)
- Offer a service that conveys a message expressing some show-off desires for certain categories of customers
- Match “**Early Services/Technologies**” adopters’ expectations – constantly searching for new services/technologies.
- Increase customers’ retention and loyalty
- Generate new revenues and increase ARPU

### 7.2 POLICIES & PRICING

Basically, the overall ARoL service policies & pricing are established by the Mobile Operator, providing this service. Nevertheless, it is expected that:

- **Service Activation/Cancellation** – at no fees
- **Service Charges** – through monthly/weekly subscriptions, or based on usage

As it can be a free service for retention purposes or bundled with other services. It is the Operator Marketing authority which decides on the service charging rules.

## 8 ARO L DRAWINGS – DESCRIPTIONS

### FIG. 1 – CONTACT DUPLICATION & UPDATE

Figure 1 shows how contacts are duplicated by adding the “2-digit” extension provided the Telco Operator. The “2-digit” extension is manually added to the MSISDN of the contact to be updated.

### FIG. 2 – REGULAR DISPLAY – WHEN PRESSING (1)

Figure 2 shows the regular display when the caller chooses to make a normal call by pressing (1). The called ARO L subscriber is receiving a call as if he is in his home country – but assuming the international roaming cost.

### FIG. 3 – MODIFIED DISPLAY – WHEN PRESSING (2)

Figure 3 shows the modified display on the called ARO L subscriber handset, as the caller chose to assume all the call costs by pressing (2). Therefore, the callee is receiving a call with NO charge though he is roaming abroad.

### FIG. 4 – MAIN NETWORK COMPONENTS, INCLUDING PROPOSED ARO L SERVER

Figure 4 shows the main components of the mobile network and how the **ARoL Server** is proposed to be integrated in this network. The legend of this figure is the following:

- ① – Home Network Operator
- ② – Home Location Register (HLR)
- ③ – **Proposed ARO L Server**
- ④ – Gateway MSC (GMSC)
- ⑤ – Mobile Switching Center (MSC)
- ⑥ – Visited Location Register (VLR)
- ⑦⑧ – Other Network Operators

**FIG. 5 – ARoL SERVICE**

Figure 5 shows the main components of the mobile network and how the **ARoL Server** is proposed to be integrated in this network. The legend of this figure is the following:

- ① – Home Mobile Network of the ARoL Subscriber “A”
- ② – Home Location Register (HLR)
- ③ – **Proposed ARoL Server**
- ④ – Gateway MSC (GMSC)
- ⑤ – Mobile Switching Center (MSC)
- ⑥ – Visited Location Register (VLR)
- ⑦ ⑧ – Other Network Operators
- ⑨ – A call to an ARoL Subscriber (On-Net, Off-Net, or International)
- ⑩ – MSISDN<sub>ARoL</sub> transmitted to the GMSC
- ⑪ – MSISDN<sub>ARoL</sub> transmitted from GMSC to HLR
- ⑫ – Country & Local time of “Visited Network” transmitted to “ARoL Server”
- ⑬ – Corresponding recorder voice message transmitted to the Caller
- ⑭ – Caller Selection

----- END OF DOCUMENT -----

# ANNOUNCED ROAMING LOCATION (AROL) SERVICE

---

## CLAIMS

A telecom service that permits to his subscriber, when roaming abroad, to:

1. Limit calls at inconvenient times, by informing the caller, where he is roaming and the local time there
2. Better managing received calls, by inviting – indirectly – the caller to assume roaming charges in certain situations, rather than rejecting the call reception.



1 / 5




FIG. 1 -





2 / 5



FIG. 2 -





3 / 5




FIG. 3 -








FIG. 4 -






FIG. 5 -

**INTERNATIONAL SEARCH REPORT**

International application No  
PCT/IB2017/056589

A. CLASSIFICATION OF SUBJECT MATTER  
INV. H04W8/12 H04W8/18  
ADD.  
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED  
Minimum documentation searched (classification system followed by classification symbols)  
H04W  
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2008/139202 A1 (WANG BINGFU [CN] ET AL) 12 June 2008 (2008-06-12) paragraphs [0059] - [0061], [0065] -----	1

Further documents are listed in the continuation of Box C.

See patent family annex.

\* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search <b>2 January 2018</b>	Date of mailing of the international search report <b>12/01/2018</b>
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer <b>Tessier, Serge</b>

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/IB2017/056589

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2008139202 A1	12-06-2008	CN 1917692 A	21-02-2007
		EP 1916832 A1	30-04-2008
		US 2008139202 A1	12-06-2008
		WO 2007019773 A1	22-02-2007
-----			